

A Systematic Evaluation of Automated Tools for Side-Channel Vulnerabilities Detection in Cryptographic Libraries

Clémentine Maurice, CNRS, CRIStAL

6 June 2024—SWHSec Conference

~~A Systematic Evaluation of Automated Tools for Side-Channel Vulnerabilities Detection in Cryptographic Libraries~~
How infuriating can research on vulnerabilities in cryptographic libraries be?

Clémentine Maurice, CNRS, CRIStAL

6 June 2024—SWHSec Conference

Attacks on micro-architecture

- **hardware** usually modeled as an abstract layer behaving correctly

Attacks on micro-architecture


- **hardware** usually modeled as an abstract layer behaving correctly, but possible attacks

Attacks on micro-architecture

- **hardware** usually modeled as an abstract layer behaving correctly, but possible attacks
 - faults: bypassing software protections by causing hardware errors
 - side channels: observing **side effects** of hardware on computations


Attacks on micro-architecture

- **hardware** usually modeled as an abstract layer behaving correctly, but possible attacks
 - faults: bypassing software protections by causing hardware errors
 - side channels: observing **side effects** of hardware on computations



Attacks on micro-architecture

- **hardware** usually modeled as an abstract layer behaving correctly, but possible attacks
 - faults: bypassing software protections by causing hardware errors
 - side channels: observing **side effects** of hardware on computations



Problem?

Side-channel vulnerability

Any **branch or memory access**
that depends on a **secret**

Side-channel vulnerabilities and constant-time programming

Problem?

Side-channel vulnerability

Any **branch or memory access** that depends on a **secret**



Solution!

Constant-time programming

No branch or memory access depends on a **secret!**

Side-channel vulnerabilities and constant-time programming

Problem?

Side-channel vulnerability

Any **branch or memory access** that depends on a **secret**



Solution!

Constant-time programming

No branch or memory access depends on a **secret!**

That's easy, right?

Side-channel vulnerabilities and constant-time programming

Problem?

Side-channel vulnerability

Any **branch or memory access** that depends on a **secret**



Solution!

Constant-time programming

No branch or memory access depends on a **secret!**

That's easy, right?... right?

Side-channel vulnerabilities and constant-time programming

Problem?

Side-channel vulnerability

Any **branch or memory access** that depends on a **secret**



Solution!

Constant-time programming

No branch or memory access depends on a **secret!**

That's easy, right?... right?

LadderLeak: Breaking ECDSA With Less Than One Bit Of Nonce Leakage

Diego F. Aranha
DIGIT, Aarhus University
Denmark
dfaranha@eng.au.dk

Felipe Rodrigues Novaes
University of Campinas
Brazil
ra135663@students.ic.unicamp.br

Akira Takahashi
DIGIT, Aarhus University
Denmark
takahashi@cs.au.dk

Mehdi Tibouchi
NTT Corporation
Japan
mehdi.tibouchi.br@hco.ntt.co.jp

Yuval Yarom
University of Adelaide and Data61
Australia
yval@cs.adelaide.edu.au

ABSTRACT

Although it is one of the most popular signature schemes today, ECDSA presents a number of implementation pitfalls, in particular due to the very sensitive nature of the random value (known as *nonce*) generated as part of the signing algorithm. It is known that any small amount of nonce exposure or nonce bias can in principle lead to a full key recovery: the key recovery is then a particular instance of Boneh and Venkatesan's *hidden number problem* (HNP). That observation has been practically exploited in many attacks in the literature, taking advantage of implementation defects or side-channel vulnerabilities in various concrete ECDSA implementations. However, most of the attacks so far have relied on at least 2

ephemeral random value called *nonce*, which is particularly sensitive: it is crucial to make sure that the nonces are kept in secret and sampled from the uniform distribution over a certain integer interval. It is easy to see that if the nonce is exposed or reused completely, then an attacker is able to extract the secret signing key by observing only a few signatures. By extending this simple observation, cryptanalysts have discovered stronger attacks that make it possible to recover the secret key even if short bit substrings of the nonces are leaked or biased. These extended attacks relate key recovery to the so-called hidden number problem (HNP) of Boneh and Venkatesan [15], and are part of a line of research initiated by Howgrave-Graham and Smart [36], who described a lattice-based

LadderLeak: Breaking ECDSA With Less Than One Bit Of Nonce Leakage

Akira Takahashi
DIGIT, Aarhus University
Denmark
takahashi@cs.au.dk

Felipe Rodrigues Novaes
University of Campinas
Brazil
ra135663@students.ic.unicamp.br

Yuval Yarom
University of Adelaide and Data61
Australia
yval@cs.adelaide.edu.au

May the Fourth Be With You: A Microarchitectural Side Channel Attack on Several Real-World Applications of Curve25519

Diego F. Aranha
DIGIT, Aarhus University
Denmark
dfaranha@eng.au.dk

Mehdi Tibouchi
NTT Corporation
Japan
mtibouchi@hco.ntt.co.jp

Yuval Yarom
University of Adelaide and Data61
yval@cs.adelaide.edu.au

Luke Valenta
University of Pennsylvania
lukev@cis.upenn.edu

ABSTRACT

In recent years, applications increasingly adopt security primitives designed with better countermeasures against side channel attacks. A concrete example is Libcrypt's implementation of ECDSA encryption with Curve25519. The implementation employs the Montgomery ladder scalar-by-point multiplication, uses the unified, branchless Montgomery double-and-add formula and implements a constant-time argument swap within the ladder. However, Libcrypt's field arithmetic operations are not implemented in constant-time side-channel-resistant fashion. Based on the secure design of Curve25519, users of the curve are advised that there is no need to perform validation of input points. In this work we demonstrate that when this recommendation is followed, the mathematical structure of Curve25519 facilitates the exploitation of side-channel weaknesses.

implementations. A particular threat arises from asynchronous attacks, where the attacker only has to execute a program concurrently with the victim's program (on the same physical CPU) in order to collect temporal information about the victim's behavior. With this temporal information at hand, the attacker can recover the internal workings of the victim. Because microarchitectural attacks execute on the same processor as the victim, the attacker can only achieve limited temporal resolution. Typically, the attacker can distinguish between event timings if the events are several hundreds or thousands of execution cycles apart. Consequently, past asynchronous attacks often target key-dependent variations in either the order of high-level operations or in their arguments. More specifically, such attacks usually target the square-and-multiply sequence of the modular exponentiation in RSA [61, 72], ElGamal [55, 73] and DSA [63], or

ephemeral random value called *nonce*, which is particularly sensitive: it is crucial to make sure that the nonces are kept in secret and sampled from the uniform distribution over a certain integer interval. It is easy to see that if the nonce is exposed or reused completely, then an attacker is able to extract the secret signing key by observing only a few signatures. By extending this simple observation, cryptanalysts have discovered stronger attacks that make it possible to recover the secret key even if short bit substrings of the nonces are leaked or biased. These extended attacks relate key recovery to the so-called hidden number problem (HNP) of Boneh and Venkatesan [15], and are part of a line of research initiated by Howgrave-Graham and Smart [36], who described a lattice-based

LadderLeak: Breaking ECDSA With Less Than One Bit Of Nonce Leakage

Diego F. Aranha
DIGIT, Aarhus University
Denmark
dfaranha@eng.au.dk

Felipe Rodrigues Novaes
University of Campinas
Brazil
ra135663@students.ic.unicamp.br

Akira Takahashi
DIGIT, Aarhus University
Denmark
takahashi@cs.au.dk

Yuval Yarom
University of Adelaide and Data61
Australia
yval@cs.adelaide.edu.au

Mehdi Tibouchi
NTT Corporation
Japan
mtibouchi@hco.ntt.co.jp

Yuval Yarom
University of Adelaide and Data61
yval@cs.adelaide.edu.au

May the Fourth Be With You: A Microarchitectural Side Channel Attack on Several Real-World Applications of Curve25519

Daniel Genkin
University of Pennsylvania and
University of Maryland
danielg3@cis.upenn.edu

Luke Valenta
University of Pennsylvania
lukev@cis.upenn.edu

ABSTRACT

In recent years, applications increasingly adopt security primitives designed with better countermeasures against side channel attacks. A concrete example is Libcrypt's implementation of ECDSA encryption with Curve25519. The implementation employs the Montgomery ladder scalar-by-point multiplication, uses the unified, branchless Montgomery double-and-add formula and implements a constant-time argument swap within the ladder. However, Libcrypt's field arithmetic operations are not implemented in constant-time side-channel-resistant fashion. Based on the secure design of Curve25519, users of the curve are advised that there is no need to perform validation of input points. In this work we demonstrate that when this recommendation is followed, the mathematical structure of Curve25519 facilitates the exploitation of side-channel weaknesses.

implementations. A particular threat arises from asynchronous attacks, where the attacker only has to execute a program concurrently with the victim's program (on the same physical CPU) in order to collect temporal information about the victim's behavior. With this temporal information at hand, the attacker can reconstruct the internal workings of the victim. Because microarchitectural attacks execute on the processor as the victim, the attacker can observe the execution event timings if the execution cycles are separated by ten target key-dependent operations or in their usual, usually target the squaring exponentiation in RSA [6].

ABSTRACT

Protocols for password-based authenticated key exchange (PAKE) allow two users sharing only a short, low-entropy password to establish a secure session with a cryptographically strong key. The challenge in designing such protocols is that they must resist offline dictionary attacks in which an attacker exhaustively enumerates

Daniel De Almeida Braga
daniel.de-almeida-braga@irisa.fr
Univ Rennes, CNRS, IRISA
Rennes, France

Pierre-Alain Fouque
pa.fouque@gmail.com
Univ Rennes, CNRS, IRISA
Rennes, France

Mohamed Sabt
mohamed.sabt@irisa.fr
Univ Rennes, CNRS, IRISA
Rennes, France

KEYWORDS

SRP; PAKE; Flush+Reload; PDA; OpenSSL; micro-architectural attack

ACM Reference Format:

Daniel De Almeida Braga, Pierre-Alain Fouque, and Mohamed Sabt. 2021.

LadderLeak: Breaking ECDSA With Less Than One Bit Of Nonce Leakage

Felipe Rodrigues Novaes
University of Campinas
Brazil
ra135663@students.ic.unicamp.br

Akira Takahashi
DIGIT, Aarhus University
Denmark
takahashi@cs.au.dk

Yuval Yarom
University of Adelaide and Data61
Australia
yval@cs.adelaide.edu.au

May the Fourth Be With You: A Microarchitectural Side Channel Attack on Several Real-World Applications of Curve25519

Daniel Genkin
University of Pennsylvania and
University of Maryland
danielg3@cis.upenn.edu

Luke Valenta
University of Pennsylvania
lukev@cis.upenn.edu

Yuval Yarom
University of Adelaide and Data61
yval@cs.adelaide.edu.au

Mehdi Tibouchi
NTT Corporation
Japan
mehdi.tibouchi@ntt.com

ABSTRACT

In recent years, applications increasingly adopt security primitives designed with better countermeasures against side channel attacks. A concrete example is Libcrypt's implementation of ECDSA encryption with Curve25519. The implementation employs the Montgomery ladder scalar-by-point multiplication, uses the unified, branchless Montgomery double-and-add formula and implements a constant-time argument swap within the ladder. However, Libcrypt's field arithmetic operations are not implemented in a constant-time side-channel-resistant fashion. Based on the secure design of Curve25519, users of the curve are advised that there is no need to perform validation of input points. In this work we demonstrate that when this recommendation is followed, the mathematical structure of Curve25519 facilitates the exploitation of side-channel weaknesses.

implementations. A particular threat arises from asynchronous attacks, where the attacker only has to execute a program concurrently with the victim's program (on the same physical CPU) in order to collect temporal information about the victim's behavior. With this temporal information at hand, the attacker can reconstruct the internal workings of the victim. Because microarchitectural attacks execute on the processor as the victim, the attacker can observe the execution event timings if the execution cycles are separated by ten target key-dependent operations or more.

...chemes today, ...ds, in particular ...e (known as the ...a. It is known that ...ias can in principle ... is then a particular ...umber problem (HNP). ...ploited in many attacks ...plementation defects or ...oncrete ECDSA implement- ... far have relied on at least 2

ephemeral random value called *nonce*, which is particularly sensitive: it is crucial to make sure that the nonces are kept in secret and sampled from the uniform distribution over a certain integer interval. It is easy to see that if the nonce is exposed or reused completely, then an attacker is able to extract the secret signing key by observing only a few signatures. By extending this simple observation, cryptanalysts have discovered stronger attacks that make it possible to recover the secret key even if short bit substrings of the nonces are leaked or biased. These extended attacks relate key recovery to the so-called hidden number problem (HNP) of Boneh and Venkatesan [15], and are part of a line of research initiated by Howgrave-Graham and Smart [36], who described a lattice-based

PARASITE: Password Recovery Attack against Srp presentations in The wild

Pierre-Alain Fouque
pa.fouque@gmail.com
Univ Rennes, CNRS, IRISA
Rennes, France

Mohamed Sabt
mohamed.sabt@irisa.fr
Univ Rennes, CNRS, IRISA
Rennes, France

Side-Channel Analysis of SM2: A Late-Stage Featurization Case Study

Nicola Tuveri
Tampere University of Technology
Tampere, Finland
nicola.tuveri@tut.fi

Sohaib ul Hassan
Tampere University of Technology
Tampere, Finland
sohaibulhassan@tut.fi

Cesar Pereida Garcia
Tampere University of Technology
Tampere, Finland

Billy Bob Brumley
Tampere University of Technology
Tampere, Finland

KEYWORDS


SRP; PAKE; password to g key. The 'sist offline numerates

SRP; PAKE; Flush+Reload; PDA; OpenSSL; micro-architectural attack

ACM Reference Format:


Daniel De Almeida Braga, Pierre-Alain Fouque, and Mohamed Sabt. 2021.

So many detection frameworks, yet so many attacks... Why?



Many tools published from 2017, 67% of tools are open source (23 over 34)

So many detection frameworks, yet so many attacks... Why?




Many tools published from 2017, 67% of tools are open source (23 over 34)

Why are so many attacks still manually found?

Related Work

- do developers use CT tools? [S&P 2022]
→ most developers do not use them, or do not know about them
- how to **improve the tool usability**? [USENIX Sec 2024]
→ most developers find them really hard to use



J. Jancar et al. "“They’re not that hard to mitigate”: What Cryptographic Library Developers Think About Timing Attacks”. In: S&P. 2022.

M. Fourné et al. "“These results must be false”: A usability evaluation of constant-time analysis tools”. In: *USENIX Security Symposium*. 2024.

Would the tools **actually work** to automatically
find recent vulnerabilities?

Research questions


RQ1 How can we **compare** these tools?

RQ2 Could an existing one have **detected** these vulnerabilities?

RQ3 What **features** might be missing from existing tools?

Recent side-channel attacks

Comparing recent vulnerabilities (2017-2022) with past vulnerabilities



The SAME vulnerabilities keep resurfacing. Why? (1/2)

New contexts:

- Key generation [AsiaCCS 2018]
- Key parsing and handling [USENIX Sec 2020, S&P 2019]
- Random number generation [S&P 2020]

(Mostly OpenSSL) **Vulnerable code stays in the library**
and the CT flag is not correctly set

The SAME vulnerabilities keep resurfacing. Why? (2/2)

New libraries

- MbedTLS sliding window RSA implementation [DIMVA 2017]
- Bleichenbacher-like attacks in MbedTLS, s2n, or NSS [S&P 2019]

Vulnerability is found in OpenSSL but
patches are not propagated to other libraries


Most vulnerabilities stem from code
already known to be vulnerable

Side-channel vulnerability detection tools

Side-channel vulnerability detection tools (1/2)

Ref	Year	Tool	Type	Methods	Scal.	Policy	Sound	Input	L	W	E	B	Available
[85]	2010	ct-grind	Dynamic	Tainting	●	CT	⦿	Binary	✓				✓
[15]	2013	Almeida et al.	Static	Deductive verification	○	CT	●	C source					
[55]	2013	CacheAudit	Static	Abstract interpretation	○	CO	⦿	Binary			✓		✓
[22]	2014	VIRTUALCERT	Static	Type system	○	CT	●	C source			✓		✓
[70]	2015	Cache Templates	Dynamic	Statistical tests	○	CO	○	Binary	✓				✓
[13]	2016	ct-verif	Static	Logical verification	⦿	CT	●	LLVM					✓
[107]	2016	FlowTracker	Static	Type system	⦿	CT	●	LLVM	✓				✓
[56]	2017	CacheAudit2	Static	Abstract interpretation	○	CT	●	Binary			✓		
[28]	2017	Blazy et al.	Static	Abstract interpretation	⦿	CT	●	C source					
[17]	2017	Blazer	Static	Decomposition	⦿	CR	●	Java		✓			
[48]	2017	Themis	Static	Logical verification	⦿	CR	●	Java	✓	✓			
[127]	2017	CacheD	Dynamic	DSE	⦿	CO	○	Binary	✓	✓			
[136]	2017	STACCO	Dynamic	Trace diff	⦿	CR	○	Binary	✓				✓
[106]	2017	dudect	Dynamic	Statistical tests	⦿	CC	○	Binary					✓
[117]	2018	CANAL	Static	SE	○	CO	⦿	LLVM		✓			✓
[47]	2018	CacheFix	Static	SE	⦿	CO	⦿	C	✓	✓			✓
[34]	2018	CoCo-Channel	Static	SE, tainting	●	CR	⦿	Java		✓			
[19]	2018	SideTrail	Static	Logical verification	○	CR	●	LLVM	✓	✓	✓		✓
[114]	2018	Shin et al.	Dynamic	Statistical tests	⦿	CO	○	Binary	✓				
[132]	2018	DATA	Dynamic	Statistical tests	⦿	CT	○	Binary	✓			✓	✓
[133]	2018	MicroWalk	Dynamic	MIA	●	CT	○	Binary	✓		✓		✓
[110]	2019	STAnalyzer	Static	Abstract interpretation	●	CT	●	C	✓				✓
[95]	2019	DIFUZZ	Dynamic	Fuzzing	⦿	CR	○	Java		✓			✓
[126]	2019	CacheS	Static	Abstract interpretation, SE	●	CT	○	Binary	✓	✓			
[35]	2019	CaSym	Static	SE	⦿	CO	●	LLVM	✓	✓			
[54]	2020	Pitchfork	Static	SE, tainting	●	CT	⦿	LLVM	✓	✓			✓
[66]	2020	ABSynthe	Dynamic	Genetic algorithm, RNN	⦿	CR	○	C source	✓				✓
[72]	2020	ct-fuzz	Dynamic	Fuzzing	⦿	CT	○	Binary	✓	✓			✓
[51]	2020	BINSEC/REL	Static	SE	●	CT	⦿	Binary	✓	✓			✓
[20]	2021	Abacus	Dynamic	DSE	●	CT	⦿	Binary	✓		✓		✓
[74]	2022	CaType	Dynamic	Type system	⦿	CO	●	Binary	✓			✓	
[134]	2022	MicroWalk-CI	Dynamic	MIA	●	CT	○	Binary, JS	✓		✓		✓
[140]	2022	ENCIDER	Static	SE	●	CT	⦿	LLVM	✓	✓			✓
[141]	2023	CacheQL	Dynamic	MIA, NN	●	CT	○	Binary	✓		✓	✓	✓†

Side-channel vulnerability detection tools (2/2)



Benchmarks

Benchmark: cryptographic operations

Unified benchmark representative of cryptographic operations:

- **5 tools**: Binsec/Rel, Abacus, ctgrind, dudect, Microwalk-CI
- **25 benchmarks** from **3 libraries** (OpenSSL, MbedTLS, BearSSL)
- cryptographic primitives: symmetric, AEAD schemes, asymmetric

L. Daniel, S. Bardin, and T. Rezk. "Binsec/Rel: Efficient Relational Symbolic Execution for Constant-Time at Binary-Level". In: *S&P*. 2020.

Q. Bao et al. "Abacus: Precise Side-Channel Analysis". In: *ICSE*. 2021.

<https://github.com/agl/ctgrind>

O. Reparaz, J. Balasch, and I. Verbauwhede. "Dude, is my code constant time?" In: *DATE*. 2017.

J. Wichelmann et al. "Microwalk-CI: Practical Side-Channel Analysis for JavaScript Applications". In: *CCS*. 2022.

Benchmark results: cryptographic operations (selection)

	Binsec/Rel2	Abacus	ctgrind	Microwalk
	#V	#V	#V	#V
AES-CBC-bearssl (T)	36	36	36	36
AES-CBC-bearssl (BS)	0	0	0	0
AES-GCM-openssl (EVP)	0	0	70	8
RSA-bearssl (OAEP)	2 (🕒)	🚫*	87	0
RSA-openssl (PKCS)	1 (🕒)	0	321	46
RSA-openssl (OAEP)	1 (🕒)	🚫*	546	61









- timeout limit (🕒): 1 hour
- tools generally agree on symmetric crypto, but disagree on asymmetric crypto
- takeaway: support for vector instructions is essential

Benchmark: recent vulnerabilities

Replication of published vulnerabilities:

- 7 vulnerable functions from 3 publications
- both the **function itself** and **its context** are targeted
- total: 11 additional benchmarks

Benchmark results: recent vulnerabilities (selection)

	Binsec/Rel2		Abacus		ctgrind		Microwalk	
	V	T(s)	V	T(s)	V	T(s)	V	T(s)
RSA valid. (MbedTLS)				490.01	✓	0.40	✓	278.94
GCD				37.74		0.21	✓	22.96
modular inversion				242.10	✓	0.24	✓	141.82
RSA keygen (OpenSSL)		0.17		8.66		6.36	✓	842.02
GCD	✓				✓	0.19	✓	3.61
modular inversion					✓	0.21	✓	5.96

- some vulnerabilities are missed because of **implicit flows**
- most tools do not support tainting **internal secrets**

Recommendations

#1 Support for vector instructions

Recommendations

#1 Support for vector instructions

#2 Support for indirect flows

Recommendations

#1 Support for vector instructions

#2 Support for indirect flows

#3 Support for internally generated secrets (e.g. key generation)

Recommendations

#1 Support for vector instructions

#2 Support for indirect flows

#3 Support for internally generated secrets (e.g. key generation)

#4 Promote usage of a standardized benchmark

Recommendations

#1 Support for vector instructions

#2 Support for indirect flows

#3 Support for internally generated secrets (e.g. key generation)

#4 Promote usage of a standardized benchmark

#5 Improve usability for static tools (e.g. core-dump initialization)

Recommendations

#1 Support for vector instructions

#2 Support for indirect flows

#3 Support for internally generated secrets (e.g. key generation)

#4 Promote usage of a standardized benchmark

#5 Improve usability for static tools (e.g. core-dump initialization)

#6 Make libraries more static analysis friendly

Perspectives & Conclusion

Beyond constant time


Other microarchitectural vulnerabilities:

- transient execution, e.g., Spectre, LVI
- data memory-dependent prefetchers, e.g., GoFetch
- dynamic voltage and frequency scaling (DVFS), e.g., Hertzbleed

→ code that is "constant-time" (and considered secure until recently) can be vulnerable too!

Conclusion

- first paper by Kocher in 1996: 25 years of research in this area
- so many detection tools, yet, **so many vulnerabilities** (manually) found
- most vulnerabilities stem from code already known to be vulnerable
- we introduced a **benchmark** for fair tool comparison
- we identified limitations in the current literature and issued **recommendations** for the community

 <https://github.com/ageimer/sok-detection/>
... archived on Software Heritage of course ;)

A Systematic Evaluation of Automated Tools for Side-Channel Vulnerabilities Detection in Cryptographic Libraries

Antoine Geimer
Univ. Lille, CNRS, Inria
Univ. Rennes, CNRS, IRISA
Lille, France

Mathéo Vergnolle
Université Paris-Saclay, CEA, List
Gif-sur-Yvettes, France

Frédéric Recoules
Université Paris-Saclay, CEA, List
Gif-sur-Yvettes, France

Lesly-Ann Daniel
KU Leuven, imec-DistriNet
Leuven, Belgium

Sébastien Bardin
Université Paris-Saclay, CEA, List
Gif-sur-Yvettes, France

Clémentine Maurice
Univ. Lille, CNRS, Inria
Lille, France

Abstract

To protect cryptographic implementations from side-channel vulnerabilities, developers must adopt constant-time programming practices. As these can be error-prone, many side-channel detection tools have been proposed. Despite this, such vulnerabilities are still manually found in cryptographic libraries. While a recent paper by Jancar et al. shows that developers rarely perform side-channel detection, it is unclear if existing detection tools could have found these vulnerabilities in the first place.

To answer this question we surveyed the literature to build a classification of 34 side-channel detection frameworks. The classification we offer compares multiple criteria, including the methods used, the scalability of the analysis or the threat model considered.


1 Introduction

Implementing cryptographic algorithms is an arduous task. Beyond functional correctness, the developers must also ensure that their code does not leak potentially secret information through side channels. Since Paul Kocher's seminal work [82], the research community has combed through software and hardware to find vectors allowing for side-channel attacks, from execution time to electromagnetic emissions. The unifying principle behind this class of attacks is that they do not exploit the algorithm *specification* but rather *physical characteristics* of its execution. Among the aforementioned attack vectors, the processor microarchitecture is of particular interest, as it is a shared resource between multiple programs. By observing the target execution through microarchitec-

Thank you!

Contact

 clementine.maurice@cirs.fr

 @BloodyTangerine

~~A Systematic Evaluation of Automated Tools for Side-Channel Vulnerabilities Detection in Cryptographic Libraries~~
How infuriating can research on vulnerabilities in cryptographic libraries be?

Clémentine Maurice, CNRS, CRIStAL

6 June 2024—SWHSec Conference